# Windows szerver kezelése Ansible programmal

## Távoli elérés (opcionális)

Adminisztrátorként futtatott PowerShell parancssorban adjuk ki az alábbi utasításokat a TerminalServer szolgáltatás bekapcsolásához.

#### Szolgáltatás engedélyezése

```
PS C:\Users\Administrator> Set-ItemProperty -Path
'HKLM:\SYSTEM\CurrentControlSet\Control\Terminal Server' -name
'fDenyTSConnections' -Value 0

PS C:\Users\Administrator> Get-ItemProperty -Path
'HKLM:\SYSTEM\CurrentControlSet\Control\Terminal Server' -name
'fDenyTSConnections'

fDenyTSConnections : 0
PSPath             :
Microsoft.PowerShell.Core\Registry::HKEY_LOCAL_MACHINE\SYSTEM\CurrentControl
Set\Control\Terminal S
                     erver
PSParentPath       :
Microsoft.PowerShell.Core\Registry::HKEY_LOCAL_MACHINE\SYSTEM\CurrentControl
Set\Control
PSChildName        : Terminal Server
PSDrive            : HKLM
PSProvider         : Microsoft.PowerShell.Core\Registry
```

#### Tűzfal szabályok módosítása

```
PS C:\Users\Administrator> Enable-NetFirewallRule -DisplayGroup "Remote
Desktop"
```

#### Szolgáltatás ellenőrzése

```
PS C:\Users\Administrator> Get-Service TermService

Status   Name               DisplayName
------   ----               -----------
Running  TermService        Remote Desktop Services
```

# WinRM szolgáltatás

Adminisztrátorként futtatott PowerShell parancssorban adjuk ki az alábbi utasításokat a WinRM szolgáltatás bekapcsolásához.

### Szolgáltatás konfigurálása

```
PS C:\Users\Administrator> winrm quickconfig
```

### Szolgáltatás engedélyezése és ellenőrzése

```
PS C:\Users\Administrator> Enable-PSRemoting -Force

PS C:\Users\Administrator> Get-Service WinRM
Status   Name               DisplayName
------   ----               -----------
Running  WinRM              Windows Remote Management (WS-Manag...

PS C:\Users\Administrator> Get-Service WinRM | Select-Object StartType
StartType
---------
Automatic

PS C:\Users\Administrator> winrm enumerate winrm/config/listener
Listener
    Address = *
    Transport = HTTP
    Port = 5985
    Hostname
    Enabled = true
    URLPrefix = wsman
    CertificateThumbprint
    ListeningOn = 127.0.0.1, 192.168.110.51, ::1,
fe80::317d:e4ae:1de6:e99c%4

PS C:\Users\Administrator> Test-WSMan
wsmid           :
http://schemas.dmtf.org/wbem/wsman/identity/1/wsmanidentity.xsd
ProtocolVersion : http://schemas.dmtf.org/wbem/wsman/1/wsman.xsd
ProductVendor   : Microsoft Corporation
ProductVersion  : OS: 0.0.0 SP: 0.0 Stack: 3.0

PS C:\Users\Administrator> winrm get winrm/config/service
Service
    RootSDDL =
```

```
O:NSG:BAD:P(A;;GA;;;BA)(A;;GR;;;IU)S:P(AU;FA;GA;;;WD)(AU;SA;GXGW;;;WD)
    MaxConcurrentOperations = 4294967295
    MaxConcurrentOperationsPerUser = 1500
    EnumerationTimeoutms = 240000
    MaxConnections = 300
    MaxPacketRetrievalTimeSeconds = 120
    AllowUnencrypted = false
    Auth
        Basic = false
        Kerberos = true
        Negotiate = true
        Certificate = false
        CredSSP = false
        CbtHardeningLevel = Relaxed
    DefaultPorts
        HTTP = 5985
        HTTPS = 5986
    IPv4Filter = *
    IPv6Filter = *
    EnableCompatibilityHttpListener = false
    EnableCompatibilityHttpsListener = false
    CertificateThumbprint
    AllowRemoteAccess = true
```

#### Hitelesítési eljárás beállítása

```
PS C:\Users\Administrator> winrm set winrm/config/service/auth
'@{Basic="false";Kerberos="true";Negotiate="true"}'

Auth
    Basic = false
    Kerberos = true
    Negotiate = true
    Certificate = false
    CredSSP = false
    CbtHardeningLevel = Relaxed
```

#### Tűzfal szabályrendszer ellenőrzése

```
PS C:\Users\Administrator> Get-NetFirewallRule -DisplayGroup "Windows Remote
Management"

Name                          : WINRM-HTTP-In-TCP
DisplayName                   : Windows Remote Management (HTTP-In)
Description                   : Inbound rule for Windows Remote Management
via WS-Management. [TCP 5985]
DisplayGroup                  : Windows Remote Management
Group                         : @FirewallAPI.dll,-30267
```

```
Enabled                         : False
Profile                         : Domain, Private
Platform                        : {}
Direction                       : Inbound
Action                          : Allow
EdgeTraversalPolicy             : Block
LooseSourceMapping              : False
LocalOnlyMapping                : False
Owner                           :
PrimaryStatus                   : OK
Status                          : The rule was parsed successfully from the
store. (65536)
EnforcementStatus               : NotApplicable
PolicyStoreSource               : PersistentStore
PolicyStoreSourceType           : Local
RemoteDynamicKeywordAddresses : {}

Name                            : WINRM-HTTP-In-TCP-PUBLIC
DisplayName                     : Windows Remote Management (HTTP-In)
Description                     : Inbound rule for Windows Remote Management
via WS-Management. [TCP 5985]
DisplayGroup                    : Windows Remote Management
Group                           : @FirewallAPI.dll,-30267
Enabled                         : False
Profile                         : Public
Platform                        : {}
Direction                       : Inbound
Action                          : Allow
EdgeTraversalPolicy             : Block
LooseSourceMapping              : False
LocalOnlyMapping                : False
Owner                           :
PrimaryStatus                   : OK
Status                          : The rule was parsed successfully from the
store. (65536)
EnforcementStatus               : NotApplicable
PolicyStoreSource               : PersistentStore
PolicyStoreSourceType           : Local
RemoteDynamicKeywordAddresses : {}
```

#### Hozzáférés engedélyezése

```
PS C:\Users\Administrator> Enable-NetFirewallRule -DisplayGroup "Windows
Remote Management"
```

#### Tűzfal szabályrendszer ismételt ellenőrzése

```
PS C:\Users\Administrator> Get-NetFirewallRule -DisplayGroup "Windows Remote
```

```
Management"

Name                            : WINRM-HTTP-In-TCP
DisplayName                     : Windows Remote Management (HTTP-In)
Description                     : Inbound rule for Windows Remote Management
via WS-Management. [TCP 5985]
DisplayGroup                    : Windows Remote Management
Group                           : @FirewallAPI.dll,-30267
Enabled                         : True
Profile                         : Domain, Private
Platform                        : {}
Direction                       : Inbound
Action                          : Allow
EdgeTraversalPolicy             : Block
LooseSourceMapping              : False
LocalOnlyMapping                : False
Owner                           :
PrimaryStatus                   : OK
Status                          : The rule was parsed successfully from the
store. (65536)
EnforcementStatus               : NotApplicable
PolicyStoreSource               : PersistentStore
PolicyStoreSourceType           : Local
RemoteDynamicKeywordAddresses : {}

Name                            : WINRM-HTTP-In-TCP-PUBLIC
DisplayName                     : Windows Remote Management (HTTP-In)
Description                     : Inbound rule for Windows Remote Management
via WS-Management. [TCP 5985]
DisplayGroup                    : Windows Remote Management
Group                           : @FirewallAPI.dll,-30267
Enabled                         : True
Profile                         : Public
Platform                        : {}
Direction                       : Inbound
Action                          : Allow
EdgeTraversalPolicy             : Block
LooseSourceMapping              : False
LocalOnlyMapping                : False
Owner                           :
PrimaryStatus                   : OK
Status                          : The rule was parsed successfully from the
store. (65536)
EnforcementStatus               : NotApplicable
PolicyStoreSource               : PersistentStore
PolicyStoreSourceType           : Local
RemoteDynamicKeywordAddresses : {}
```

### Szolgáltatás ellenőrzése (ansible)

#### Ellenőrző műveletek

```
[ansible@ansible ~]$ curl -v http://192.168.110.51:5985/wsman
*   Trying 192.168.110.51:5985...
* Connected to 192.168.110.51 (192.168.110.51) port 5985
* using HTTP/1.x
> GET /wsman HTTP/1.1
> Host: 192.168.110.51:5985
> User-Agent: curl/8.12.1
> Accept: */*
>
* Request completely sent off
< HTTP/1.1 405
< Allow: POST
< Server: Microsoft-HTTPAPI/2.0
< Date: Tue, 26 May 2026 07:27:53 GMT
< Connection: close
< Content-Length: 0
<
* shutting down connection #0
```

# Rendszerinformációk

## Ansible "tények" lekérdezése

Hozzunk létre egyszerű, ansible tényeket lekérdező ansible playbook állományt

01-facts.yaml

```
- hosts: windows
  gather_facts: true
  tasks:
    - debug:
        var: ansible_facts
```

Futtassuk a playbook-ot

```
[ansible@ansible ~]$ ansible-playbook 01-facts.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
```

```
ok: [win2022]

TASK [debug]
*********************************************************************
ok: [win2022] => {
    "ansible_facts": {
        "architecture": "64-bit",
        "architecture2": "x86_64",
        "bios_date": "11. 17. 2024",
        "bios_version": "edk2-20241117-4.el9_7.3",
        "date_time": {
            "date": "2026-05-25",
            "day": "25",
            "epoch": "1779775803,95348",
            "epoch_int": 1779775804,
            "epoch_local": "1779750603,95348",
            "hour": "23",
            "iso8601": "2026-05-26T06:10:03Z",
            "iso8601_basic": "20260525T231003953480",
            "iso8601_basic_short": "20260525T231003",
            "iso8601_micro": "2026-05-26T06:10:03.953480Z",
            "minute": "10",
            "month": "05",
            "second": "03",
            "time": "23:10:03",
            "tz": "Pacific Standard Time",
            "tz_offset": "-07:00",
            "weekday": "Monday",
            "weekday_number": "1",
            "weeknumber": "20",
            "year": "2026"
        },
        "distribution": "Microsoft Windows Server 2022 Standard Evaluation",
        "distribution_major_version": "10",
        "distribution_version": "10.0.20348.0",
        "domain": "",
        "env": {
            "ALLUSERSPROFILE": "C:\\ProgramData",
            "APPDATA": "C:\\Users\\Administrator\\AppData\\Roaming",
            "COMPUTERNAME": "WIN-T9R338V1CCC",
            "ComSpec": "C:\\Windows\\system32\\cmd.exe",
            "CommonProgramFiles": "C:\\Program Files\\Common Files",
            "CommonProgramFiles(x86)": "C:\\Program Files (x86)\\Common
Files",
            "CommonProgramW6432": "C:\\Program Files\\Common Files",
            "DriverData": "C:\\Windows\\System32\\Drivers\\DriverData",
            "HOMEDRIVE": "C:",
            "HOMEPATH": "\\Users\\Administrator",
            "LOCALAPPDATA": "C:\\Users\\Administrator\\AppData\\Local",
            "LOGONSERVER": "\\\\WIN-T9R338V1CCC",
            "NUMBER_OF_PROCESSORS": "2",
```

```
            "OS": "Windows_NT",
            "PATHEXT":
".COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL",
            "PROCESSOR_ARCHITECTURE": "AMD64",
            "PROCESSOR_IDENTIFIER": "AMD64 Family 23 Model 17 Stepping 0,
AuthenticAMD",
            "PROCESSOR_LEVEL": "23",
            "PROCESSOR_REVISION": "1100",
            "PROMPT": "$P$G",
            "PSExecutionPolicyPreference": "Unrestricted",
            "PSModulePath":
"C:\\Users\\Administrator\\Documents\\WindowsPowerShell\\Modules;C:\\Program
Files\\WindowsPowerShell\\Modules;C:\\Windows\\system32\\WindowsPowerShell\\
v1.0\\Modules",
            "PUBLIC": "C:\\Users\\Public",
            "Path":
"C:\\Windows\\system32;C:\\Windows;C:\\Windows\\System32\\Wbem;C:\\Windows\\
System32\\WindowsPowerShell\\v1.0\\;C:\\Windows\\System32\\OpenSSH\\;C:\\Use
rs\\Administrator\\AppData\\Local\\Microsoft\\WindowsApps",
            "ProgramData": "C:\\ProgramData",
            "ProgramFiles": "C:\\Program Files",
            "ProgramFiles(x86)": "C:\\Program Files (x86)",
            "ProgramW6432": "C:\\Program Files",
            "SystemDrive": "C:",
            "SystemRoot": "C:\\Windows",
            "TEMP": "C:\\Users\\ADMINI~1\\AppData\\Local\\Temp",
            "TMP": "C:\\Users\\ADMINI~1\\AppData\\Local\\Temp",
            "USERDOMAIN": "WIN-T9R338V1CCC",
            "USERDOMAIN_ROAMINGPROFILE": "WIN-T9R338V1CCC",
            "USERNAME": "Administrator",
            "USERPROFILE": "C:\\Users\\Administrator",
            "windir": "C:\\Windows"
        },
        "fqdn": "WIN-T9R338V1CCC",
        "gather_subset": [
            "all"
        ],
        "hostname": "WIN-T9R338V1CCC",
        "interfaces": [
            {
                "connection_name": "Ethernet Instance 0",
                "default_gateway": "192.168.110.1",
                "dns_domain": null,
                "interface_index": 4,
                "interface_name": "Intel(R) 82574L Gigabit Network
Connection",
                "ipv4": {
                    "address": "192.168.110.51",
                    "prefix": "24"
                },
                "ipv6": {
```

```
                "address": "fe80::317d:e4ae:1de6:e99c%4",
                "prefix": "64"
            },
            "macaddress": "52:54:00:8E:F9:1E",
            "mtu": 1500,
            "speed": 1000
        }
    ],
    "ip_addresses": [
        "fe80::317d:e4ae:1de6:e99c%4",
        "192.168.110.51"
    ],
    "kernel": "10.0.20348.0",
    "lastboot": "2026-05-21 00:04:04Z",
    "machine_id": "S-1-5-21-3572516673-4086879683-2416554126",
    "memfree_mb": 4399,
    "memtotal_mb": 8173,
    "module_setup": true,
    "netbios_name": "WIN-T9R338V1CCC",
    "nodename": "WIN-T9R338V1CCC",
    "os_family": "Windows",
    "os_install_date": "2026-05-09T02:53:01Z",
    "os_installation_type": "Server",
    "os_name": "Microsoft Windows Server 2022 Standard Evaluation",
    "os_product_type": "server",
    "owner_contact": "",
    "owner_name": "Windows User",
    "pagefilefree_mb": 1061,
    "pagefiletotal_mb": 1280,
    "powershell_version": 5,
    "processor": [
        "0",
        "AuthenticAMD",
        "AMD Ryzen 3 PRO 2200GE w/ Radeon Vega Graphics ",
        "1",
        "AuthenticAMD",
        "AMD Ryzen 3 PRO 2200GE w/ Radeon Vega Graphics "
    ],
    "processor_cores": 2,
    "processor_count": 1,
    "processor_threads_per_core": 1,
    "processor_vcpus": 2,
    "product_name": "KVM",
    "product_serial": null,
    "product_uuid": "5EF55895-6169-4C7E-9E28-23CD198B8D5F",
    "reboot_pending": true,
    "swaptotal_mb": 0,
    "system": "Win32NT",
    "system_description": "",
    "system_vendor": "Red Hat",
    "uptime_seconds": 428761,
```

```
        "user_dir": "C:\\Users\\Administrator",
        "user_gecos": "",
        "user_id": "Administrator",
        "user_sid": "S-1-5-21-3572516673-4086879683-2416554126-500",
        "virtualization_role": "guest",
        "virtualization_type": "kvm",
        "windows_domain": "WORKGROUP",
        "windows_domain_member": false,
        "windows_domain_role": "Stand-alone server"
    }
}

PLAY RECAP
*********************************************************************
win2022                    : ok=2    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Windows rendszerinformációk

02-osinfo.yaml

```
[ansible@ansible ~]$ cat 02-osinfo.yaml
- hosts: windows
  gather_facts: false
  tasks:
    - name: OS info
      ansible.windows.win_powershell:
        script: |
          Get-CimInstance Win32_OperatingSystem |
            Select-Object Caption, Version, BuildNumber, OSArchitecture
|
            ConvertTo-Json -Depth 3
      register: osinfo

    - debug:
        msg: "{{ osinfo.output[0] }}"
```

```
[ansible@ansible ~]$ ansible-playbook 02-osinfo.yaml

PLAY [windows]
*********************************************************************

TASK [OS info]
*********************************************************************
changed: [win2022]

TASK [debug]
*********************************************************************
```

```
ok: [win2022] => {
    "msg": {
        "BuildNumber": "20348",
        "Caption": "Microsoft Windows Server 2022 Standard Evaluation",
        "OSArchitecture": "64-bit",
        "Version": "10.0.20348"
    }
}

PLAY RECAP
*********************************************************************
win2022                    : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

# Felhasználók kezelése

## Helyi felhasználó létrehozása

03-create-local-user.yaml

```yaml
- hosts: windows
  tasks:
    - name: Create local user
      ansible.windows.win_user:
        name: "user1"
        password: "Linux2026%"
        state: present
        password_never_expires: true
        user_cannot_change_password: true
        groups:
          - Users
```

```
[ansible@ansible ~]$ ansible-playbook 03-create-local-user.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [Create local user]
*********************************************************
changed: [win2022]

PLAY RECAP
*********************************************************************
```

```
win2022                    : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Helyi felhasználó módosítása

03-modify-local-user.yaml

```
- hosts: windows
  tasks:
    - name: Add user1 to local Administrators
      ansible.windows.win_group_membership:
        name: Administrators
        members:
          - user1
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 03-modify-local-user.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [Add user1 to local Administrators]
***************************************
changed: [win2022]

PLAY RECAP
*********************************************************************
win2022                    : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Helyi felhasználó törlése

03-delete-local-user.yaml

```
- hosts: windows
  tasks:
    - name: Delete user profile
      ansible.windows.win_user_profile:
        username: user1
        state: absent

    - name: Delete local Windows user
```

```
      ansible.windows.win_user:
        name: user1
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 03-delete-local-user.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [Delete user profile]
****************************************************
ok: [win2022]

TASK [Delete local Windows user]
*********************************************
changed: [win2022]

PLAY RECAP
*********************************************************************
win2022                    : ok=3    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

Windows oldalon a profil és a felhasználó törlése adminisztrátorként futtatott PS utasítások segítségével elvégezhető:

```
PS C:\Users\Administrator> Get-CimInstance Win32_UserProfile | Where
LocalPath -eq "C:\Users\USERNAME" | Remove-CimInstance

PS C:\Users\Administrator> Remove-LocalUser USERNAME
```

Ugyanez megoldható szkript segítségével

delete-local-user.ps1

```
$user = "USERNAME"

Get-CimInstance Win32_UserProfile |
Where-Object {
    $_.LocalPath -eq "C:\Users\$USERNAME"
} |
ForEach-Object {

    if (-not $_.Loaded) {
        Remove-CimInstance $_
    }
```

```
}
```

## Több felhasználó létrehozása

03-create-local-users.yaml

```
- hosts: windows
  vars:
    local_users:
      - { name: "user2", pass: "Linux2026%" }
      - { name: "user3", pass: "Linux2026%" }
      - { name: "user4", pass: "Linux2026%" }
  tasks:
    - ansible.windows.win_user:
        name: "{{ item.name }}"
        password: "{{ item.pass }}"
        state: present
      loop: "{{ local_users }}"
```

```
[ansible@ansible ~]$ ansible-playbook 03-create-local-users.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [ansible.windows.win_user]
***********************************************
changed: [win2022] => (item={'name': 'user2', 'pass': 'Linux2026%'})
changed: [win2022] => (item={'name': 'user3', 'pass': 'Linux2026%'})
changed: [win2022] => (item={'name': 'user4', 'pass': 'Linux2026%'})

PLAY RECAP
*********************************************************************
win2022                    : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

A felhasználók lekérdezhetők PowerShell segítségével.

```
PS C:\Users\Administrator> Get-LocalUser | Select-Object Name | Select-
String 'user'

@{Name=user2}
@{Name=user3}
```

```
@{Name=user4}
```

## Több felhasználó törlése

03-delete-local-users.yaml

```
- hosts: windows
  vars:
    local_users:
      - user2
      - user3
      - user4

  tasks:
    - name: Delete user profiles first
      ansible.windows.win_user_profile:
        username: "{{ item }}"
        state: absent
      loop: "{{ local_users }}"

    - name: Delete local Windows users
      ansible.windows.win_user:
        name: "{{ item }}"
        state: absent
      loop: "{{ local_users }}"
```

```
[ansible@ansible ~]$ ansible-playbook 03-delete-local-users.yaml

PLAY [windows]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [Delete user profiles first]
**********************************************
ok: [win2022] => (item=user2)
ok: [win2022] => (item=user3)
ok: [win2022] => (item=user4)

TASK [Delete local Windows users]
**********************************************
changed: [win2022] => (item=user2)
changed: [win2022] => (item=user3)
changed: [win2022] => (item=user4)

PLAY RECAP
```

```
**********************************************************************
win2022                    : ok=3    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

# Active Directory szolgáltatások

Ebben a példában az Active Directory szerver `kutyacica.lan` tartománya a `adc.kutyacica.lan` gépen érhető el.

## Előkészítő műveletek

Ansible gépen telepíteni kell a `microsoft.ad` gyűjteményt.

```
[ansible@ansible ~]$ ansible-galaxy collection install microsoft.ad
Starting galaxy collection install process
Process install dependency map
Starting collection install process
Downloading
https://galaxy.ansible.com/api/v3/plugin/ansible/content/published/collectio
ns/artifacts/microsoft-ad-1.11.0.tar.gz to
/home/ansible/.ansible/tmp/ansible-
local-67186v5wyun37/tmpplulm2oa/microsoft-ad-1.11.0-p_fjaa6z
Installing 'microsoft.ad:1.11.0' to
'/home/ansible/.ansible/collections/ansible_collections/microsoft/ad'
microsoft.ad:1.11.0 was installed successfully

[ansible@ansible ~]$ ansible-galaxy collection list

# /home/ansible/.ansible/collections/ansible_collections
Collection        Version
----------------- -------
ansible.windows   3.5.0
community.windows 3.2.0
microsoft.ad      1.11.0
```

## Szervezeti egység létrehozása

04-create-ad-ou.yaml

```
- name: Create AD organizational units
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create Users OU
      microsoft.ad.ou:
```

```
        name: TanfolyamUsers
        path: DC=kutyacica,DC=lan
        state: present

    - name: Create Groups OU
      microsoft.ad.ou:
        name: TanfolyamGroups
        path: DC=kutyacica,DC=lan
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-create-ad-ou.yaml

PLAY [Create AD organizational units]
*****************************************

TASK [Create Users OU]
*************************************************************
changed: [adc]

TASK [Create Groups OU]
*************************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=2    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Csoport létrehozása

04-create-ad-group.yaml

```
- name: Create AD group
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create global security group
      microsoft.ad.group:
        name: LinuxAdmins
        path: OU=TanfolyamGroups,DC=kutyacica,DC=lan
        scope: global
        category: security
        description: Linux rendszergazdák
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-create-ad-group.yaml
```

```
PLAY [Create AD group]
*****************************************************

TASK [Create global security group]
*******************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Felhasználó létrehozása

04-create-ad-user.yaml

```
- name: Create AD user
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create user jkovacs
      microsoft.ad.user:
        name: jkovacs
        firstname: János
        surname: Kovács
        display_name: "Kovács János"
        upn: jkovacs@kutyacica.lan
        sam_account_name: jkovacs
        path: OU=TanfolyamUsers,DC=kutyacica,DC=lan
        password: "KezdoJelszo123!"
        enabled: true
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-create-ad-user.yaml

PLAY [Create AD user]
*****************************************************

TASK [Create user jkovacs]
*****************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Felhasználó módosítása

04-modify-ad-user.yaml

```
- name: Modify AD user attributes
  hosts: windows
  gather_facts: false
  tasks:
    - name: Modify user attributes
      microsoft.ad.user:
        identity: jkovacs
        firstname: János
        surname: Kovács
        display_name: "Kovács János"
        description: "Linux oktató"
        company: "Kutyacica Kft."
        city: "Budapest"
        state_province: "Budapest"
        street: "Fő utca 1"
        postal_code: "1111"
        country: "HU"
        email: "jkovacs@kutyacica.lan"
        attributes:
          set:
            department: "IT"
            title: "Senior Linux Administrator"
            telephoneNumber: "+3612345678"
        enabled: true
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-modify-ad-user.yaml

PLAY [Modify AD user attributes]
*********************************************

TASK [Modify user attributes]
*************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

Megjegyzés: Az attribútumok közül közvetlenül csak az alábbi lista elemei módosíthatók:

domain_username, postal_code, delegates, city, update_password, enabled, password, domain_credentials, spn, path, street, password_expired, identity, groups, upn, country, protect_from_deletion, state, state_province, sam_account_name, email, company, attributes,

domain_server, surname, description, password_never_expires, account_locked, firstname, display_name, name, user_cannot_change_password, domain_password, principals_allowed_to_delegate, spns, lastname

Minden más esetben az attribútum az

```
        attributes:
          set:
            attributeName: érték
```

módszerrel módosítható.

## Felhasználó jelszavának cseréje

04-change-ad-user-password.yaml

```
- name: Change AD user password
  hosts: windows
  gather_facts: false
  tasks:
    - name: Set new password
      microsoft.ad.user:
        identity: jkovacs
        password: "UjJelszo123!"
        update_password: always
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-change-ad-user-password.yaml

PLAY [Change AD user password]
*********************************************

TASK [Set new password]
*********************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Felhasználó tiltása

04-disable-ad-user.yaml

```
- name: Disable AD user
```

```
  hosts: windows
  gather_facts: false
  tasks:
    - name: Disable user
      microsoft.ad.user:
        identity: jkovacs
        enabled: false
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-disable-ad-user.yaml

PLAY [Disable AD user]
*************************************************************

TASK [Disable user]
*************************************************************
changed: [adc]

PLAY RECAP
*************************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Felhasználó engedélyezése

04-enable-ad-user.yaml

```
- name: Enable AD user
  hosts: windows
  gather_facts: false
  tasks:
    - name: Enable user
      microsoft.ad.user:
        identity: jkovacs
        enabled: true
        state: present
```

```
[ansible@ansible ~]$ ansible-playbook 04-enable-ad-user.yaml

PLAY [Enable AD user]
*************************************************************

TASK [Enable user]
*************************************************************
changed: [adc]

PLAY RECAP
```

```
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Felhasználó törlése

04-delete-ad-user.yaml

```
- name: Delete AD user
  hosts: windows
  gather_facts: false
  tasks:
    - name: Delete user
      microsoft.ad.user:
        identity: jkovacs
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 04-delete-ad-user.yaml

PLAY [Delete AD user]
*************************************************************

TASK [Delete user]
*************************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Csoport törlése

04-delete-ad-group.yaml

```
- name: Delete AD group
  hosts: windows
  gather_facts: false
  tasks:
    - name: Delete global security group
      microsoft.ad.group:
        name: LinuxAdmins
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 04-delete-ad-group.yaml
```

```
PLAY [Delete AD group]
*****************************************************

TASK [Delete global security group]
*******************************************
ok: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Szervezeti egység törlése

04-delete-ad-ou.yaml

```
- name: Delete AD organizational units
  hosts: windows
  gather_facts: false
  tasks:
    - name: Delete Users OU
      microsoft.ad.ou:
        name: TanfolyamUsers
        path: DC=kutyacica,DC=lan
        state: absent

    - name: Delete Groups OU
      microsoft.ad.ou:
        name: TanfolyamGroups
        path: DC=kutyacica,DC=lan
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 04-delete-ad-ou.yaml

PLAY [Delete AD organizational units]
*****************************************

TASK [Delete Users OU]
*********************************************************
changed: [adc]

TASK [Delete Groups OU]
*********************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=2    unreachable=0    failed=0
```

```
skipped=0    rescued=0    ignored=0
```

## Teljes példa

04-ad.yaml

04-ad.yaml

```
- name: Manage AD objects
  hosts: windows
  gather_facts: false

  vars:
    ad_state: present

    domain_dn: "DC=kutyacica,DC=lan"

    ad_ous:
      - name: TanfolyamUsers
        path: "{{ domain_dn }}"
      - name: TanfolyamGroups
        path: "{{ domain_dn }}"

    ad_groups:
      - name: LinuxAdmins
        path: "OU=TanfolyamGroups,{{ domain_dn }}"
        scope: global
        category: security

    ad_users:
      - username: jkovacs
        firstname: János
        surname: Kovács
      - username: nagy.peter
        firstname: Péter
        surname: Nagy

  tasks:
    - name: Create OUs
      microsoft.ad.ou:
        name: "{{ item.name }}"
        path: "{{ item.path }}"
        protect_from_deletion: false
        state: present
      loop: "{{ ad_ous }}"
      when: ad_state == "present"

    - name: Create groups
      microsoft.ad.group:
        name: "{{ item.name }}"
```

```
      path: "{{ item.path }}"
      scope: "{{ item.scope }}"
      category: "{{ item.category }}"
      state: present
    loop: "{{ ad_groups }}"
    when: ad_state == "present"

  - name: Create users
    microsoft.ad.user:
      name: "{{ item.username }}"
      firstname: "{{ item.firstname }}"
      surname: "{{ item.surname }}"
      display_name: "{{ item.surname }} {{ item.firstname }}"
      upn: "{{ item.username }}@kutyacica.lan"
      sam_account_name: "{{ item.username }}"
      path: "OU=TanfolyamUsers,{{ domain_dn }}"
      password: "KezdoJelszo123!"
      enabled: true
      state: present
    loop: "{{ ad_users }}"
    when: ad_state == "present"

  - name: Add users to group
    microsoft.ad.group:
      name: LinuxAdmins
      path: "OU=TanfolyamGroups,{{ domain_dn }}"
      members:
        add: "{{ ad_users | map(attribute='username') | list }}"
      state: present
    when: ad_state == "present"

  - name: Delete users
    microsoft.ad.user:
      identity: "{{ item.username }}"
      state: absent
    loop: "{{ ad_users }}"
    when: ad_state == "absent"

  - name: Delete groups
    microsoft.ad.group:
      identity: "{{ item.name }}"
      state: absent
    loop: "{{ ad_groups }}"
    when: ad_state == "absent"

  - name: Delete OUs
    microsoft.ad.ou:
      name: "{{ item.name }}"
      path: "{{ item.path }}"
      state: absent
    loop: "{{ ad_ous | reverse | list }}"
```

```
        when: ad_state == "absent"
```

### Létrehozás

```
[ansible@ansible ~]$ ansible-playbook 04-ad.yaml -e ad_state=present

PLAY [Manage AD objects]
*****************************************************

TASK [Create OUs]
************************************************************
changed: [adc] => (item={'name': 'TanfolyamUsers', 'path':
'DC=kutyacica,DC=lan'})
changed: [adc] => (item={'name': 'TanfolyamGroups', 'path':
'DC=kutyacica,DC=lan'})

TASK [Create groups]
*************************************************************
changed: [adc] => (item={'name': 'LinuxAdmins', 'path':
'OU=TanfolyamGroups,DC=kutyacica,DC=lan', 'scope': 'global', 'category':
'security'})

TASK [Create users]
**************************************************************
changed: [adc] => (item={'username': 'jkovacs', 'firstname': 'János',
'surname': 'Kovács'})
changed: [adc] => (item={'username': 'nagy.peter', 'firstname': 'Péter',
'surname': 'Nagy'})

TASK [Add users to group]
*****************************************************
changed: [adc]

TASK [Delete users]
************************************************************
skipping: [adc] => (item={'username': 'jkovacs', 'firstname': 'János',
'surname': 'Kovács'})
skipping: [adc] => (item={'username': 'nagy.peter', 'firstname': 'Péter',
'surname': 'Nagy'})
skipping: [adc]

TASK [Delete groups]
*************************************************************
skipping: [adc] => (item={'name': 'LinuxAdmins', 'path':
'OU=TanfolyamGroups,DC=kutyacica,DC=lan', 'scope': 'global', 'category':
'security'})
skipping: [adc]
```

```
TASK [Delete OUs]
************************************************************
skipping: [adc] => (item={'name': 'TanfolyamGroups', 'path':
'DC=kutyacica,DC=lan'})
skipping: [adc] => (item={'name': 'TanfolyamUsers', 'path':
'DC=kutyacica,DC=lan'})
skipping: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=4    changed=4    unreachable=0    failed=0
skipped=3    rescued=0    ignored=0
```

**Törlés**

```
[ansible@ansible ~]$ ansible-playbook 04-ad.yaml -e ad_state=absent

PLAY [Manage AD objects]
*********************************************************

TASK [Create OUs]
************************************************************
skipping: [adc] => (item={'name': 'TanfolyamUsers', 'path':
'DC=kutyacica,DC=lan'})
skipping: [adc] => (item={'name': 'TanfolyamGroups', 'path':
'DC=kutyacica,DC=lan'})
skipping: [adc]

TASK [Create groups]
*********************************************************
skipping: [adc] => (item={'name': 'LinuxAdmins', 'path':
'OU=TanfolyamGroups,DC=kutyacica,DC=lan', 'scope': 'global', 'category':
'security'})
skipping: [adc]

TASK [Create users]
************************************************************
skipping: [adc] => (item={'username': 'jkovacs', 'firstname': 'János',
'surname': 'Kovács'})
skipping: [adc] => (item={'username': 'nagy.peter', 'firstname': 'Péter',
'surname': 'Nagy'})
skipping: [adc]

TASK [Add users to group]
*****************************************************
skipping: [adc]

TASK [Delete users]
************************************************************
changed: [adc] => (item={'username': 'jkovacs', 'firstname': 'János',
```

```
'surname': 'Kovács'})
changed: [adc] => (item={'username': 'nagy.peter', 'firstname': 'Péter',
'surname': 'Nagy'})

TASK [Delete groups]
************************************************************
changed: [adc] => (item={'name': 'LinuxAdmins', 'path':
'OU=TanfolyamGroups,DC=kutyacica,DC=lan', 'scope': 'global', 'category':
'security'})

TASK [Delete OUs]
************************************************************
changed: [adc] => (item={'name': 'TanfolyamGroups', 'path':
'DC=kutyacica,DC=lan'})
changed: [adc] => (item={'name': 'TanfolyamUsers', 'path':
'DC=kutyacica,DC=lan'})

PLAY RECAP
********************************************************************
adc                        : ok=3    changed=3    unreachable=0    failed=0
skipped=4    rescued=0    ignored=0
```

# Könyvtárak és fájlok

## Könyvtár létrehozás

05-create-directory.yaml

```
- name: Directory management demo
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create application root directory
      ansible.windows.win_file:
        path: C:\apps
        state: directory

    - name: Create application subdirectories
      ansible.windows.win_file:
        path: "C:\\apps\\{{ item }}"
        state: directory
      loop:
        - conf
        - logs
        - data
        - backup
```

```
        - temp
```

```
[ansible@ansible ~]$ ansible-playbook 05-create-directory.yaml

PLAY [Directory management demo]
*********************************************

TASK [Create application root directory]
*************************************
changed: [adc]

TASK [Create application subdirectories]
*************************************
changed: [adc] => (item=conf)
changed: [adc] => (item=logs)
changed: [adc] => (item=data)
changed: [adc] => (item=backup)
changed: [adc] => (item=temp)

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=2    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Könyvtár ellenőrzése

05-check-directory.yaml

```
- name: Verify directory existence
  hosts: windows
  gather_facts: false

  tasks:
    - name: Check application directory
      ansible.windows.win_stat:
        path: C:\apps
      register: apps_dir

    - name: Display directory status
      ansible.builtin.debug:
        var: apps_dir.stat.exists
```

```
[ansible@ansible ~]$ ansible-playbook 05-check-directory.yaml

PLAY [Verify directory existence]
*********************************************
```

```
TASK [Check application directory]
*********************************************
ok: [adc]

TASK [Display directory status]
************************************************
ok: [adc] => {
    "apps_dir.stat.exists": true
}

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Könyvtár törlés

A könyvtár törlése eltávolítja a könyvtár tartalmát (alkönyvtárak, fájlok).

05-delete-directory.yaml

```
- name: Remove temporary directory
  hosts: windows
  gather_facts: false

  tasks:
    - name: Delete temp directory
      ansible.windows.win_file:
        path: C:\apps\temp
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 05-delete-directory.yaml

PLAY [Remove temporary directory]
*********************************************

TASK [Delete temp directory]
**************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

### Több könyvtár törlése

05-delete-multiple-directories.yaml

```
- name: Remove multiple directories
  hosts: windows
  gather_facts: false

  tasks:
    - name: Delete selected directories
      ansible.windows.win_file:
        path: "C:\\apps\\{{ item }}"
        state: absent
      loop:
        - backup
        - temp
```

```
[ansible@ansible ~]$ ansible-playbook 05-delete-multiple-directories.yaml

PLAY [Remove multiple directories]
*********************************************

TASK [Delete selected directories]
*********************************************
changed: [adc] => (item=backup)
changed: [adc] => (item=temp)

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Könyvtár tartalom megjelenítése

05-list-directory-content-recursive.yaml

```
- name: List directory contents
  hosts: windows
  gather_facts: false

  tasks:
    - name: List files and directories
      ansible.windows.win_shell: |
        Get-ChildItem C:\apps
      register: dir_listing

    - name: Display directory contents
      ansible.builtin.debug:
        var: dir_listing.stdout_lines
```

```
[ansible@ansible ~]$ ansible-playbook 05-list-directory-content-
recursive.yaml

PLAY [List directory contents]
*********************************************

TASK [List files and directories]
*******************************************
changed: [adc]

TASK [Display directory contents]
*********************************************
ok: [adc] => {
    "dir_listing.stdout_lines": [
        "",
        "",
        "    Directory: C:\\apps",
        "",
        "",
        "Mode                 LastWriteTime         Length Name
",
        "----                 -------------         ------ ----
",
        "d-----     2026. 05. 28.     19:19                conf
",
        "d-----     2026. 05. 28.     19:19                data
",
        "d-----     2026. 05. 28.     19:19                logs
",
        "",
        ""
    ]
}

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Fájl létrehozás

05-create-empty-file.yaml

```
- name: Create empty file
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create log file
```

```
      ansible.windows.win_file:
        path: C:\apps\logs\app.log
        state: touch
```

```
[ansible@ansible ~]$ ansible-playbook 05-create-empty-file.yaml

PLAY [Create empty file]
*************************************************************

TASK [Create log file]
*************************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

05-create-file-with-content.yaml

```
- name: Create configuration file
  hosts: windows
  gather_facts: false

  tasks:
    - name: Create application configuration file
      ansible.windows.win_copy:
        dest: C:\apps\conf\app.conf
        content: |
          app_name=DemoApp
          environment=training
          log_level=info
          data_dir=C:\apps\data
```

```
[ansible@ansible ~]$ ansible-playbook 05-create-file-with-content.yaml

PLAY [Create configuration file]
*********************************************

TASK [Create application configuration file]
***********************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Fájl másolás

05-file-copy.yaml

```
- name: Copy file to Windows host
  hosts: windows
  gather_facts: false

  tasks:
    - name: Copy README file
      ansible.windows.win_copy:
        src: files/readme.txt
        dest: C:\apps\readme.txt
```

```
[ansible@ansible ~]$ mkdir files

[ansible@ansible ~]$ echo "Fájl tartalom" > files/readme.txt

[ansible@ansible ~]$ ansible-playbook 05-file-copy.yaml

PLAY [Copy file to Windows host]
*********************************************

TASK [Copy README file]
*********************************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Fájl ellenőrzés

05-check-file-existence.yaml

```
- name: Verify file existence
  hosts: windows
  gather_facts: false

  tasks:
    - name: Check configuration file
      ansible.windows.win_stat:
        path: C:\apps\conf\app.conf
      register: conf_file

    - name: Display file status
```

```
      ansible.builtin.debug:
        var: conf_file.stat.exists
```

```
[ansible@ansible ~]$ ansible-playbook 05-check-file-existence.yaml

PLAY [Verify file existence]
****************************************************

TASK [Check configuration file]
***********************************************
ok: [adc]

TASK [Display file status]
*****************************************************
ok: [adc] => {
    "conf_file.stat.exists": true
}

PLAY RECAP
*********************************************************************
adc                        : ok=2    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Fájl tartalom módosítás

### Sor csere

05-modify-file.yaml

```
- name: Update configuration setting
  hosts: windows
  gather_facts: false

  tasks:
    - name: Set log level to debug
      community.windows.win_lineinfile:
        path: C:\apps\conf\app.conf
        regexp: '^log_level='
        line: 'log_level=debug'
```

```
[ansible@ansible ~]$ ansible-playbook 05-modify-file.yaml

PLAY [Update configuration setting]
*******************************************

TASK [Set log level to debug]
```

```
*********************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

### Új sor

05-add-line-to-file.yaml

```
- name: Add configuration entry
  hosts: windows
  gather_facts: false

  tasks:
    - name: Add max_clients setting
      community.windows.win_lineinfile:
        path: C:\apps\conf\app.conf
        line: 'max_clients=100'
        create: true
```

```
[ansible@ansible ~]$ ansible-playbook 05-add-line-to-file.yaml

PLAY [Add configuration entry]
*********************************************

TASK [Add max_clients setting]
*********************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

### Sor törlés

05-delete-line-from-file.yaml

```
- name: Remove configuration entry
  hosts: windows
  gather_facts: false

  tasks:
```

```
    - name: Remove environment setting
      community.windows.win_lineinfile:
        path: C:\apps\conf\app.conf
        regexp: '^environment='
        state: absent
```

```
[ansible@ansible ~]$ ansible-playbook 05-delete-line-from-file.yaml

PLAY [Remove configuration entry]
*********************************************

TASK [Remove environment setting]
*********************************************
changed: [adc]

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

**Több sor módosítása**

05-modify-multiple-lines-in-file.yaml

```
- name: Configure multiple settings
  hosts: windows
  gather_facts: false

  tasks:
    - name: Configure application settings
      community.windows.win_lineinfile:
        path: C:\apps\conf\app.conf
        regexp: "^{{ item.key }}="
        line: "{{ item.key }}={{ item.value }}"
        create: true
      loop:
        - { key: "app_name", value: "DemoApp" }
        - { key: "log_level", value: "warning" }
        - { key: "max_clients", value: "200" }
```

```
[ansible@ansible ~]$ ansible-playbook 05-modify-multiple-lines-in-file.yaml

PLAY [Configure multiple settings]
*********************************************

TASK [Configure application settings]
*********************************************
```

```
ok: [adc] => (item={'key': 'app_name', 'value': 'DemoApp'})
changed: [adc] => (item={'key': 'log_level', 'value': 'warning'})
changed: [adc] => (item={'key': 'max_clients', 'value': '200'})

PLAY RECAP
*********************************************************************
adc                        : ok=1    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Fájl tartalom megjelenítése

05-read-file-content.yaml

```
- name: Read configuration file
  hosts: windows
  gather_facts: false

  tasks:
    - name: Read configuration file content
      ansible.windows.win_shell: Get-Content C:\apps\conf\app.conf
      register: conf_content

    - name: Display configuration content
      ansible.builtin.debug:
        var: conf_content.stdout_lines
```

```
[ansible@ansible ~]$ ansible-playbook 05-read-file-content.yaml

PLAY [Read configuration file]
***********************************************

TASK [Read configuration file content]
*****************************************
changed: [adc]

TASK [Display configuration content]
*******************************************
ok: [adc] => {
    "conf_content.stdout_lines": [
        "app_name=DemoApp",
        "log_level=warning",
        "data_dir=C:\\apps\\data",
        "max_clients=200"
    ]
}

PLAY RECAP
*********************************************************************
```

```
adc                        : ok=2    changed=1    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

# Ansible vault

## Fájl műveletek

### Titkosítás

```
[ansible@ansible ~]$ cat > secret.yaml <<'EOF'
db_user: appuser
db_password: SuperSecret123!
EOF

[ansible@ansible ~]$ ansible-vault encrypt secret.yaml
New Vault password:
Confirm New Vault password:
Encryption successful

[ansible@ansible ~]$ cat secret.yaml
$ANSIBLE_VAULT;1.1;AES256
6630663561356236343935373434313734616135376363616238336361623430396261636333
6366
6633396663663462353864393231313461353532373531340a306333616563306133343332373
3335
6135633438363265643233353836626263626164623336636138663836653361653737303435
6263
3961353663633331320a383261663839376463396534313237323266306564623637613637373
3462
3964626338353235636235383339363561373265333464613461326231343931373935333133
3831
6332343031333734373935336338333638656661386636613730
```

### Szerkesztés

```
[ansible@ansible ~]$ ansible-vault edit secret.yaml
Vault password:
...
```

### Visszafejtés

```
[ansible@ansible ~]$ ansible-vault decrypt secret.yaml
Vault password:
Decryption successful
```

```
[ansible@ansible ~]$ cat secret.yaml
db_user: appuser
db_password: SuperSecret123!
```

#### Jelszó csere

```
[ansible@ansible ~]$ ansible-vault rekey secret.yaml
Vault password:
New Vault password:
Confirm New Vault password:
Rekey successful
```

### Interaktív használat

06-vault-test.yaml

```yaml
- hosts: localhost
  vars_files:
    - secret.yaml

  tasks:
    - debug:
        msg: "DB password: {{ db_password }}"
```

```
[ansible@ansible ~]$ ansible-playbook 06-vault-test.yaml
ERROR! Attempting to decrypt but no vault secrets found

[ansible@ansible ~]$ ansible-playbook 06-vault-test.yaml --ask-vault-pass
Vault password:

PLAY [localhost]
*********************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [localhost]

TASK [debug]
*********************************************************************
ok: [localhost] => {
    "msg": "DB password: SuperSecret123!"
}

PLAY RECAP
*********************************************************************
localhost                  : ok=2    changed=0    unreachable=0    failed=0
```

```
skipped=0    rescued=0    ignored=0
```

## Jelszófájl használat

```
[ansible@ansible ~]$ cat > vault.pass <<'EOF'
12345
EOF

[ansible@ansible ~]$ chmod 0600 vault.pass

[ansible@ansible ~]$ ansible-playbook 06-vault-test.yaml --vault-password-
file vault.pass

PLAY [localhost]
*****************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [localhost]

TASK [debug]
*********************************************************************
ok: [localhost] => {
    "msg": "DB password: SuperSecret123!"
}

PLAY RECAP
*********************************************************************
localhost                  : ok=2    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Változó titkosítása

```
[ansible@ansible ~]$ ansible-vault encrypt_string 'SuperSecret123!' --name
'db_password'
New Vault password:
Confirm New Vault password:
Encryption successful
db_password: !vault |
          $ANSIBLE_VAULT;1.1;AES256
64663064386637346261633135653162356330353564373332613430336266313930323061646465
62633732393161316262646239663439623039643431313 60a623838393637643131623965663765
39346333613866376437633137643838306330353632616366353966353062326366383232633264
39333038316662373 40a383038636464313235353166313661363139316161636464323539653138
```

```
          3530
```

06-internal-vault-test.yaml

```
- hosts: localhost
  vars:
    db_user: appuser
    db_password: !vault |
        $ANSIBLE_VAULT;1.1;AES256
64663064386637346261633135653162356330353564373332613430336266313930323
061646465
62633732393161316262646239663439623039643431313 60a62383839363764313162 3
965663765
39346333613866376437633137643838306330353632616366353966353062326366383
232633264
39333038316662373 40a38303863646431323535316631366136313931616163646432 3
539653138
        3530

  tasks:
    - debug:
        msg: "DB password: {{ db_password }}"
```

```
[ansible@ansible ~]$ ansible-playbook 06-internal-vault-test.yaml

PLAY [localhost]
**********************************************************************
**********************************************************************
**********

TASK [Gathering Facts]
**********************************************************************
**********************************************************************
***************
ok: [localhost]

TASK [debug]
**********************************************************************
**********************************************************************
*************************
fatal: [localhost]: FAILED! => {"msg": "Attempting to decrypt but no vault
secrets found"}

PLAY RECAP
**********************************************************************
**********************************************************************
***************************
localhost                  : ok=1    changed=0    unreachable=0    failed=1
skipped=0    rescued=0    ignored=0
```

```
[ansible@ansible ~]$ ansible-playbook 06-internal-vault-test.yaml --vault-
password-file vault.pass

PLAY [localhost]
*********************************************************************************
*********************************************************************************
**********

TASK [Gathering Facts]
*********************************************************************************
*********************************************************************************
***************
ok: [localhost]

TASK [debug]
*********************************************************************************
*********************************************************************************
*************************
ok: [localhost] => {
    "msg": "DB password: SuperSecret123!"
}

PLAY RECAP
*********************************************************************************
*********************************************************************************
****************************
localhost                  : ok=2    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

## Több vault használata

```
[ansible@ansible ~]$ ansible-vault encrypt_string --vault-id dev@prompt
'dev123' --name dev_db_password >> vaults.yaml
New vault password (dev):
Confirm new vault password (dev):

[ansible@ansible ~]$ ansible-vault encrypt_string --vault-id prod@prompt
'prod123' --name prod_db_password >> vaults.yaml
New vault password (prod):
Confirm new vault password (prod):

[ansible@ansible ~]$ cat vaults.yaml
dev_db_password: !vault |
          $ANSIBLE_VAULT;1.2;AES256;dev
34653336386234303265623664386237393761626465626230373133643762613266636434613
3965
34393339613938323462313530376636623365653064303 10a6132646366396438653765613
6139
65663862386134396237383936356630666664346530376235333834633033643135396236613
3262
```

```
356665333838373564 0a32393762366330353934646334633836626635386636623433663161
3538
          6565
prod_db_password: !vault |
          $ANSIBLE_VAULT;1.2;AES256;prod
636236376665323266373164323964323934313336643232623639373862383031343032643 5
3436
386633653339626262643861663037386336626136653335 0a6637653163373438633566653 6
3763
366638356437303037346430326434663237323865616331623233323738616562353464626 4
3130
646530363335633137 0a3635646534656536666563663531666630393334306561633739393 2
6538
          6531
```

06-vault-id.yaml

```
- hosts: localhost

  vars:
    db_user: appuser

  vars_files:
    - vaults.yaml

  tasks:
    - debug:
        msg: "DEV DB password: {{ dev_db_password }}"

    - debug:
        msg: "PROD DB password: {{ prod_db_password }}"
```

```
[ansible@ansible ~]$ ansible-playbook 06-vault-id.yaml --vault-id dev@prompt
--vault-id prod@prompt
Vault password (dev):
Vault password (prod):

PLAY [localhost]
**********************************************************************
**********************************************************************
*********************

TASK [Gathering Facts]
**********************************************************************
**********************************************************************
***************
ok: [localhost]

TASK [debug]
```

```
**************************************************************************
**************************************************************************
************************
ok: [localhost] => {
    "msg": "DEV DB password: dev123"
}

TASK [debug]
**************************************************************************
**************************************************************************
************************
ok: [localhost] => {
    "msg": "PROD DB password: prod123"
}

PLAY RECAP
**************************************************************************
**************************************************************************
*************************
localhost                  : ok=3    changed=0    unreachable=0    failed=0
skipped=0    rescued=0    ignored=0
```

# Windows frissítés, ütemezett feladatok

## Windows frissítés (kritikus és biztonsági javítások)

99-windows-update.yaml

```
- hosts: windows
  tasks:
    - name: Install critical/security updates
      ansible.windows.win_updates:
        category_names:
          - CriticalUpdates
          - SecurityUpdates
        reboot: true
      register: upd

    - debug:
        var: upd
```

Important: A frissítés hosszú ideig is eltarthat valamint a gép újraindulhat!

```
[ansible@ansible ~]$ ansible-playbook 99-windows-update.yaml
```

```
PLAY [windows]
*************************************************************

TASK [Gathering Facts]
*********************************************************
ok: [win2022]

TASK [Install critical/security updates]
***************************************
An exception occurred during task execution. To see the full traceback, use
-vvv. The error was: Exception: Timed out waiting for last boot time check
(timeout=1200)
fatal: [win2022]: FAILED! => {"changed": true, "elapsed": 1208,
"failed_update_count": 0, "filtered_updates": {"af2d807f-c5a6-435b-
bbba-36023ea98955": {"categories": ["Definition Updates", "Microsoft
Defender Antivirus"], "downloaded": false, "filtered_reasons":
["category_names"], "id": "af2d807f-c5a6-435b-bbba-36023ea98955",
"installed": false, "kb": ["2267602"], "title": "Security Intelligence
Update for Microsoft Defender Antivirus - KB2267602 (Version 1.451.111.0) -
Current Channel (Broad)"}, "db5bac0b-a277-4d18-9bfd-6c9b08e3251c":
{"categories": ["EU Browser Choice Update-For Europe Only", "Update
Rollups", "Windows Server 2016", "Windows Server 2019", "Windows Server,
version 1903 and later"], "downloaded": false, "filtered_reasons":
["category_names"], "id": "db5bac0b-a277-4d18-9bfd-6c9b08e3251c",
"installed": false, "kb": ["890830"], "title": "Windows Malicious Software
Removal Tool x64 - v5.141 (KB890830)"}, "f79e3de9-b030-4984-a5ac-
fcaa5dab7e8d": {"categories": ["Microsoft Server operating system-21H2",
"Updates"], "downloaded": false, "filtered_reasons": ["category_names"],
"id": "f79e3de9-b030-4984-a5ac-fcaa5dab7e8d", "installed": false, "kb":
["5010475"], "title": "2022-02 Cumulative Update Preview for .NET Framework
3.5 and 4.8 for Microsoft server operating system version 21H2 for x64
(KB5010475)"}}, "found_update_count": 2, "installed_update_count": 2, "msg":
"Failed to reboot host: Timed out waiting for last boot time check
(timeout=1200)", "reboot_required": true, "rebooted": true, "unreachable":
false, "updates": {"0ae6f8d8-5a5a-4551-a0cc-ca97524fc415": {"categories":
["Microsoft Server operating system-21H2", "Security Updates"],
"downloaded": false, "id": "0ae6f8d8-5a5a-4551-a0cc-ca97524fc415",
"installed": true, "kb": ["5088862"], "title": "2026-05 Cumulative Update
for .NET Framework 3.5, 4.8 and 4.8.1 for Microsoft server operating system
version 21H2 for x64 (KB5088862)"}, "d684f5a6-3ade-4716-9aa1-787d79a36afe":
{"categories": ["Security Updates"], "downloaded": false, "id":
"d684f5a6-3ade-4716-9aa1-787d79a36afe", "installed": true, "kb":
["5087545"], "title": "2026-05 Cumulative Update for Microsoft server
operating system version 21H2 for x64-based Systems (KB5087545)"}}}

PLAY RECAP
*********************************************************************
win2022                    : ok=1    changed=0    unreachable=0    failed=1
skipped=0    rescued=0    ignored=0
```

A frissítés nyomon követhető PowerShell segítségével.

```
PS C:\Windows\system32> Get-Service wuauserv,BITS,CryptSvc,TrustedInstaller

Status   Name               DisplayName
------   ----               -----------
Stopped  BITS               Background Intelligent Transfer Ser...
Running  CryptSvc           Cryptographic Services
Running  TrustedInstaller   Windows Modules Installer
Running  wuauserv           Windows Update


PS C:\Windows\system32> Get-Service UsoSvc

Status   Name               DisplayName
------   ----               -----------
Running  UsoSvc             Update Orchestrator Service


PS C:\Windows\system32> Get-Content C:\Windows\Logs\CBS\CBS.log -Tail 20 -
wait
2026-05-26 01:55:11, Info                  DPX    hr: 0x8000000a at
onecore\base\compress\dpx\src\dpxjob.cpp(2433)
2026-05-26 01:55:11, Info                  DPX    Started DPX phase: Apply
Deltas Provided In File
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\ipdcab.cpp(1338)
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\bufcab.cpp(330)
2026-05-26 01:55:13, Info                  DPX
CCabStorage::GetErrorCode(): m_hrFirstError = 0x80070012
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\storage.cpp(466)
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\storage.cpp(58)
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\storage.cpp(565)
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\bufcab.cpp(21)
2026-05-26 01:55:13, Info                  DPX    hr: 0x80070012 at
onecore\base\compress\dpx\src\bufcab.cpp(108)
2026-05-26 01:55:13, Info                  DPX    Ended DPX phase: Apply
Deltas Provided In File
2026-05-26 01:55:13, Info                  DPX    CJob::Resume completed
with status: 0x0
2026-05-26 01:55:13, Info                  DPX    Ended DPX phase: Resume
and Download Job
2026-05-26 01:55:13, Info                  CBS    Extracting all files from
cabinet \\?\C:\Windows\CbsTemp\31255788_4177394721\Windows10.0-KB5087545-
x64.cab\Cab_1_for_KB5087545.cab
2026-05-26 01:55:13, Info                  DPX    Started DPX phase: Resume
and Download Job
2026-05-26 01:55:13, Info                  DPX    hr: 0x8000000a at
```

```
onecore\base\compress\dpx\src\dpxjob.cpp(2433)
2026-05-26 01:55:13, Info                  DPX    Started DPX phase: Apply
Deltas Provided In File
2026-05-26 01:55:13, Info                  DPX    Ended DPX phase: Apply
Deltas Provided In File
2026-05-26 01:55:13, Info                  DPX    hr: 0x8000000a at
onecore\base\compress\dpx\src\dpxjob.cpp(2433)
2026-05-26 01:55:13, Info                  DPX    Started DPX phase: Apply
Deltas Provided In File
2026-05-26 02:06:38, Info                  DPX    Ended DPX phase: Apply
Deltas Provided In File
2026-05-26 02:06:38, Info                  DPX    CJob::Resume completed
with status: 0x0
2026-05-26 02:06:38, Info                  DPX    Ended DPX phase: Resume
and Download Job
2026-05-26 02:06:38, Info                  CBS    Extracting all files from
cabinet \\?\C:\Windows\CbsTemp\31255788_4177394721\Windows10.0-KB5087545-
x64.cab\Cab_2_for_KB5087545.cab
2026-05-26 02:06:38, Info                  DPX    Started DPX phase: Resume
and Download Job
2026-05-26 02:06:38, Info                  DPX    hr: 0x8000000a at
onecore\base\compress\dpx\src\dpxjob.cpp(2433)
2026-05-26 02:06:38, Info                  DPX    Started DPX phase: Apply
Deltas Provided In File
2026-05-26 02:06:38, Info                  DPX    Ended DPX phase: Apply
Deltas Provided In File
2026-05-26 02:06:38, Info                  DPX    hr: 0x8000000a at
onecore\base\compress\dpx\src\dpxjob.cpp(2433)
2026-05-26 02:06:38, Info                  DPX    Started DPX phase: Apply
Deltas Provided In File
```

From:
https://wiki.r-l.hu/ - **Reverse-Logic wiki**

Permanent link:
**https://wiki.r-l.hu/doku.php?id=ansible:windows&rev=1780048738**

Last update: **2026/05/29 09:58**